

Vesta

Granite Slab

CELESTAL
COLLECTION



Featured: Vesta | Cotton



Details

Slab Size: 114" x 70"
Thickness: 2cm

Available in: Slabs & Cut to Size
Contact your sales representative
for minimum order quantities.

Applications

Interior & Exterior Wall Cladding
Kitchen | Bath | Wet Areas



Test	Std.	Unit	Ave. Value	Condition
Dry Density	EN 1936	(gr/cm ³)	2.99	-
Saturated Density	EN 1936	(gr/cm ³)	3.00	-
Porosity	EN 1936	(%)	0.59	-
Specific Gravity	EN 1936	(Kg/m ³)	3.01	-
Water Absorption Under Atmospheric Pressure	EN 13755	(%)	0.19	-
Capillary Water Absorption	EN 1925	(Kg/m ²)	0.45	-
Compressive Strength	EN 1926	(MPa)	57.79	Dry
Tensile Strength	ISRM 1981	(MPa)	8.65	Dry
Flexural Strength	EN 12372	(MPa)	3.63	Dry
Resistance to Salt Crystallization	EN 12370	(Mass loss %)	-1.73	After 48 Cycles
Resistance to Freeze-Thaw	EN12371	(Mass loss %)	-0.01	After 48 Cycles
Resistance to Acid (H ₂ SO ₄)	EN 13919	(Mass loss %)	-0.11	After 48 Cycles
Thermal Shock	EN 14066	(Mass loss %)	-0.006	After 48 Cycles

Available Designs



Vesta | Cotton



Vesta | Microdot



Vesta | Hydro